5/16

Notice of Allowability	Application No.	Applicant(s)		
	10/642,313	SCHULTZ ET AL.		
	Examiner	Art Unit		
	Bryan R. Muller	3723		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
1. This communication is responsive to <u>Amendments filed 7/11/2005</u> .				
2. The allowed claim(s) is/are 1-7,14 and 15.				
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the: <ol> <li>Certified copies of the priority documents have been received.</li> <li>Certified copies of the priority documents have been received in Application No.</li> <li>Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ol> </li> <li>* Certified copies not received:</li> </ul>				
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.				
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.				
5. X CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.				
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached				
1)  hereto or 2)  to Paper No./Mail Date				
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date				
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).				
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s)			2.450	
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	* * * * * * * * * * * * * * * * * * * *	J-152)	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	Paper No./Mail Dat	☐ Interview Summary (PTO-413),  — Paper No./Mail Date		
<ul> <li>3.  Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 12/22/2003</li> <li>4.  Examiner's Comment Regarding Requirement for Deposit of Piological Material</li> </ul>	7. X Examiner's Amendment/Comment			
	8. 🛛 Examiner's Stateme	8. 🛛 Examiner's Statement of Reasons for Allowance		
of Biological Material .	9.	9.		

Application/Control Number: 10/642,313 Page 2

Art Unit: 3723

## **DETAILED ACTION**

## **EXAMINER'S AMENDMENT**

- 1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
- 2. Authorization for this examiner's amendment was given in a telephone interview with John Fisher on 9/21/2005.
- 3. The application has been amended as follows:
  - Claims 8-13 and 16-20 have been cancelled.
  - The word "position" in line 7 of claim 1 has been changed to "positioned".
- 4. The following changes to the drawings have been approved by the examiner and agreed upon by applicant: The applicant must provide a drawing or amend Figure 5 to show the top end 192 of the light transmission medium to be flush with the upper surface of the polishing pad. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.
- 5. The following is an examiner's statement of reasons for allowance: The art of record (considered as a whole) neither anticipates nor renders obvious an assembly for use in a chemical mechanical apparatus comprising a pad having an upper surface, a

platen with a top surface for supporting the pad, a light transmission medium with one end positioned flush with the top surface of the polishing pad and the other end having a hollow portion for receiving a light transmitting and receiving probe with an end portion flush with the top of the platen in combination with the rest of the limitations set forth in the independent claims.

Page 3

6. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bryan R. Muller whose telephone number is (571) 272-4489. The examiner can normally be reached on Monday thru Thursday and second Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph J. Hail III can be reached on (571) 272-4485. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/642,313 Page 4

Art Unit: 3723

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

BRM BCM 9/22/2005

Joseph J. Hail, III Supervisory Patent Examiner Technology Center 3700